

OFFSIDE: BENCHMARKING UNLEARNING MISINFORMATION IN MULTIMODAL LARGE LANGUAGE MODELS

Hao Zheng^{1*} Zirui Pang^{2*} Ling li³ Zhijie Deng³ Yuhan Pu³
 Zhaowei Zhu⁴ Xiaobo Xia⁵ Jiaheng Wei^{3†}

¹Harbin Institute of Technology ²University of Illinois Urbana-Champaign

³The Hong Kong University of Science and Technology (Guangzhou)

⁴ BIAI, ZJUT & D5Data.ai, ⁵ National University of Singapore

2022211977@stu.hit.edu.cn, jiahengwei@hkust-gz.edu.cn

ABSTRACT

Advances in Multimodal Large Language Models (MLLMs) intensify concerns about data privacy, making Machine Unlearning (MU), the selective removal of learned information, a critical necessity. However, existing MU benchmarks for MLLMs are limited by a lack of image diversity, potential inaccuracies, and insufficient evaluation scenarios, which fail to capture the complexity of real-world applications. To facilitate the development of MLLMs unlearning and alleviate the aforementioned limitations, we introduce OFFSIDE, a novel benchmark for evaluating misinformation unlearning in MLLMs based on football transfer rumors. This manually curated dataset contains 15.68K records for 80 players, providing a comprehensive framework with four test sets to assess forgetting efficacy, generalization, utility, and robustness. OFFSIDE supports advanced settings like selective unlearning and corrective relearning, and crucially, unimodal unlearning (forgetting only text data). Our extensive evaluation of multiple baselines reveals key findings: (1) Unimodal methods (erasing text-based knowledge) fail on multimodal rumors; (2) Unlearning efficacy is largely driven by catastrophic forgetting; (3) All methods struggle with "visual rumors" (rumors appear in the image); (4) The unlearned rumors can be easily recovered and (5) All methods are vulnerable to prompt attacks. These results expose significant vulnerabilities in current approaches, highlighting the need for more robust multimodal unlearning solutions. The code is available at <https://github.com/zh121800/OFFSIDE>.

1 INTRODUCTION

With the rapid development and widespread application of multimodal large language models (MLLMs), models pre-trained on large-scale corpora can quickly adapt to various downstream tasks, such as visual question answering (Antol et al., 2015; Goyal et al., 2017; Pang et al., 2025), visual understanding (Sugiyama et al., 2007; Guo et al., 2016; Li et al., 2024c; Xu et al., 2025a), and reasoning (Johnson et al., 2017; Perez et al., 2018; Li et al., 2025a; Wang et al., 2025). However, during both the pretraining and post-training phases, unwanted content, such as private information and rumors, may be included, which could lead to the leakage of personal privacy and the spread of misinformation. These raise concerns about the security of MLLMs (Chen et al., 2025). Machine Unlearning (MU) (Wang et al., 2024b; Deng et al., 2025) has been proposed to address these ethical and security concerns in MLLMs, aiming to eliminate the influence of unwanted data and its effects on model performance without requiring retraining from scratch, while also complying with legal frameworks (Dang, 2021).

Given that MLLMs integrate knowledge across multiple modalities, a growing line of work has begun to study MU within multimodal contexts (Liu et al., 2024c; Xu et al., 2025b; Dontsov et al., 2024; Li et al., 2024b). However, existing benchmarks commonly rely on generative models (e.g., Arc2Face (Papantoniou et al., 2024), Flux (Labs, 2024), StyleGAN2 (Karras et al., 2020), and

*Equal contribution.

†Corresponding author.

DuelGAN (Wei et al., 2022)) to synthesize images, neglecting harmful cues embedded in the visual modality and risking the introduction of biases that diverge from real-world distributions (Westerlund, 2019; Dolhansky et al., 2020). Moreover, existing benchmarks fail to support selectively removing specific information in an image while preserving unrelated information, typically deleting all text linked to a given image (Cheng et al., 2023). In addition, they pay little attention to the downstream effects of unlearning on other post-training procedures, such as continual learning (Wang et al., 2024a), despite its importance for evaluating practical utility (Van de Ven & Tolias, 2019). Taken together, these limitations result in an incomplete assessment of multimodal unlearning, underscoring the need for a comprehensive benchmark tailored to MLLMs.

Table 1: Benchmark Comparison. OFFSIDE is the first to support (1) multi-image entity association (group images for each player), (2) selective unlearning of private attributes while preserving shared knowledge, (3) corrective relearning, a continual learning setting, and (4) Unimodal unlearning (unlearn through only pure text data).

Benchmark	Text	Image			Setting			
		Type	Source	Entity Association	Complete Unlearning	Selective Unlearning	Corrective relearning	Unimodal Unlearning
MUSE (Shi et al., 2024)	✓	-	-	-	✓			✓
TOFU (Maini et al., 2024)	✓	-	-	-	✓			✓
MMUBench (Li et al., 2024b)	✓	Real World	MIKE (Li et al., 2024a)	multiple	✓			
MLLMU-Bench (Liu et al., 2024c)	✓	Synthetic	Arc2Face (Papantoniou et al., 2024)	Single	✓			✓
PEBench (Xu et al., 2025b)	✓	Synthetic	Flux (Labs, 2024)	multiple	✓	✓		
CLEAR (Dontsov et al., 2024)	✓	Synthetic	StyleGAN2 (Karras et al., 2020)	multiple	✓			
OFFSIDE (Ours)	✓	Real World	Google	multiple	✓	✓	✓	✓

In this view, we propose OFFSIDE, a benchmark inspired by football transfer market rumors, aimed at simulating diverse real-world scenarios. OFFSIDE consists of 15.68K manually created Vision-Question-Answer (VQA) pairs, with 7.84K dedicated to the multimodal unlearning and 7.84K for the unimodal unlearning. It features four distinct datasets: *Forget Set*, *Retain Set*, *Test set* and *Relearn Set*, each designed to evaluate specific aspects of unlearning methods, including unlearning efficacy, generalizability, model utility, and robustness, across both multimodal and unimodal settings. A comprehensive comparison between previous benchmarks and OFFSIDE is shown in Table 1. In OFFSIDE, each player (entity) is linked to a set of images containing both *private information* (e.g., transfer records) and *shared information* (e.g., age, height, and name). The diverse text-image connections are designed for the selective unlearning setting, which only removes the private information of the target rumor and saves the shared ones. Meanwhile, we also simulate a corrective relearning framework to investigate the sources of the unlearning abilities of the tested methods.

As shown in Figure 1. We define four real-world scenarios for evaluation: the **Complete Unlearning** setting tests whether unlearning methods can completely remove all knowledge related to specific entities; the **Selective Unlearning** setting evaluates the ability to accurately erase particular image-text associations without affecting other learned information; the **Corrective relearning** setting simulates a continual learning framework to examine whether previously unlearned rumors can be successfully recovered after post-training; and the **Unimodal Unlearning** setting assesses whether existing LLM unlearning methods can seamlessly adapt to the multimodal context of MLLMs.




Figure 1: OFFSIDE is a comprehensive benchmark for MLLMs MU, featuring four real-world settings designed to address the removal of various rumors. Texts in red represent the target rumor, while those in green indicate successful forgetting or relearning.

Five baselines are evaluated on four distinct datasets. Our comprehensive evaluation spans a variety of tasks, including classification, generation, MM-Bench (Liu et al., 2024a), and GPT evaluator. After extensive experiments, we observe several key findings, each stemming from our specially designed experimental settings, highlighting the advantages of our datasets in providing a realistic and diverse evaluation for the multimodal unlearning task. Our key contributions are as follows:

- We propose OFFSIDE, a novel multimodal unlearning benchmark that provides four real-world scenarios (Complete Unlearning, Selective Unlearning, Corrective Relearning, and Unimodal Unlearning), demonstrating the practical value of multimodal unlearning in real-world applications.
- OFFSIDE provides a comprehensive evaluation of unlearning, assessing forget quality, model utility, and robustness. It is the first to explore the relationship between unlearning methods and continual learning, offering valuable insights for future research.
- After extensive experiments with five representative MU methods, we provide empirical insights into MLLM MU: (1) Unimodal unlearning methods are ineffective at unlearning multimodal rumors. (2) The unlearned rumors can be easily recovered through continual learning. (3) All baselines fail to unlearn visual rumors (rumors appear in the image). (4) All baselines are vulnerable to prompt attacks (e.g., classification task). (5) Unlearning efficacy is largely driven by catastrophic forgetting. These findings reveal key limitations of contemporary MLLM methods, thereby motivating advances specific to multimodal learning and underscoring OFFSIDE as an essential, realistic benchmark.

2 RELATED WORK

LLM Machine Unlearning. Existing benchmarks in LLM MU have been used to test unlearning in various contexts, such as elimination of personal identification data (Patil et al., 2023), copyright protection (Eldan & Russinovich, 2023) and harmful content removal (Lu et al., 2022). Gradient Ascent (GA) (Yao et al., 2024b) was introduced to optimize the model parameters so as to maximize the removal of targeted information from the training data. However, GA often degrades performance on the retained set. Subsequent methods, including gradient descent (GD) (Liu et al., 2022), KL-based objectives (Yao et al., 2024a; Liu et al., 2024b), and “I don’t know” (IDK) losses (Maini et al., 2024), were proposed to exert finer control over the outputs of unlearned models and to mitigate collateral damage. Additionally, Negative Preference Optimization (NPO) (Zhang et al., 2024) reframes LLM unlearning as a preference-optimization problem.

MLLM Machine Unlearning. Li et al. (2024b) introduced a token-level KL-divergence loss for MU in MLLMs, marking a pioneering attempt to apply MU in such settings. MMUNLEARNER (Huo et al., 2025) proposes a selective unlearning approach that removes visual patterns tied to a specific entity while preserving the corresponding textual knowledge within the LLM backbone. CLEAR (Dontsov et al., 2024) extends TOFU (Maini et al., 2024) by pairing personas with textual biographies and AI-generated images, and MLLMU-Bench (Liu et al., 2024c) targets the removal of private information. PULSE (Kawakami et al., 2025) extends MLLMU-Bench to include pretrained knowledge unlearning as well as continual forgetting. PEBench (Xu et al., 2025b) is the first to categorize multimodal unlearning targets into identities and events, where the targets can reside in both the textual and visual modalities. Nevertheless, the generated entities and events are overly simplistic, leading to an almost perfect unlearning effect (close to 100%), which complicates the accurate assessment of each method’s strengths and weaknesses. The benchmarks mentioned above merely evaluate the unlearned model, overlooking its potential to integrate with other post-training methods, such as continual learning. OFFSIDE is proposed to tackle the mentioned problems above: all of the images are from real-world football players, and both the image and text may contain harmful information. Additionally, we track the model’s general capabilities at different stages on MM-Bench (Liu et al., 2024a) to ensure that the unlearning process does not compromise its overall performance.

3 OFFSIDE: UNLEARN FOOTBALL TRANSFER MARKT RUMORS AND RELEARN FACTS

We introduce OFFSIDE inspired by rumors in the football transfer market, where both images and accompanying text may contain inaccurate information, potentially leading the model to propagate misinformation. OFFSIDE includes 640 images of 80 football players from 20 clubs, with each image paired with 8 shared and 6 private VQA pairs. All images and their corresponding texts in our dataset are manually curated from real-world sources and cross-checked by multiple annotators, ensuring a robust benchmark for evaluating existing unlearning methods. An overview of OFFSIDE, including its data construction pipeline and evaluation procedure, is shown in Figure 2.

3.1 MODELS AND DATA SPLITTING

We consider a standard machine unlearning setup, with specific designs tailored for MLLMs. For all experiments, We use Qwen2.5-VL-3B and Qwen2.5-VL-7B (Bai et al., 2025) as the base models. Let $\mathcal{D}$ denote the full dataset, which is partitioned into four disjoint subsets: $\mathcal{D}_{\text{forget}}$ (*Forget Set*), $\mathcal{D}_{\text{retain}}$ (*Retain Set*), $\mathcal{D}_{\text{test}}$ (*Test set*), and $\mathcal{D}_{\text{relearn}}$ (*Relearn Set*). In the first stage, we obtain the vanilla model by fine-tuning the pretrained MLLMs with supervision (SFT) on $\mathcal{D}_{\text{forget}} \cup \mathcal{D}_{\text{retain}}$. During the subsequent unlearning stage, various unlearning methods are applied, with access to $\mathcal{D}_{\text{forget}} \cup \mathcal{D}_{\text{retain}}$. After unlearning, we assess the model’s utility by retraining on $\mathcal{D}_{\text{relearn}}$ to reintroduce corrected information, simulating a continual learning setting.

The subsets can be further categorized into private and shared sets. The private set consists of QA pairs that are unique to a single image, whereas the shared set contains QA pairs that are common across multiple images of the same player. In the Selective Forget Private Information setting, we transfer the shared set of rumor-related images from $\mathcal{D}_{\text{forget}}$ to $\mathcal{D}_{\text{retain}}$, thereby simulating a more realistic scenario in which only private information is removed while shared attributes are preserved.

All four subsets are employed to enable a comprehensive evaluation. Specifically:

- $\mathcal{D}_{\text{forget}}$ evaluates the effectiveness of unlearning (i.e., the extent to which the model has forgotten the targeted content);
- $\mathcal{D}_{\text{retain}}$ and $\mathcal{D}_{\text{test}}$ assess the preservation of general model utility and knowledge (retention of non-targeted information);
- $\mathcal{D}_{\text{relearn}}$ assesses the effectiveness of unlearning methods in conjunction with post-training procedures, highlighting the model’s ability to adapt in a continual learning context. In this study, we specifically examine whether the knowledge that was unlearned can be recovered through the relearning process.

The following notations distinguish different models derived from the dataset: learning algorithm $\mathcal{A}$ maps the dataset $\mathcal{D}$ to a parameterized model $\theta = \mathcal{A}(\mathcal{D})$. $\theta_0 = \mathcal{A}(\mathcal{D})$ is the vanilla model finetuned on the full dataset. $\theta_r = \mathcal{A}(\mathcal{D}_{\text{retain}})$ denotes the retained model, which is trained from scratch on the retain set. Finally, θ_u refers to the unlearned model, which is produced by an unlearning algorithm $\mathcal{U}$, ideally approximating θ_r without requiring retraining.

3.2 DATA CONSTRUCTION:

Unlike previous MLLM machine unlearning benchmarks (Dontsov et al., 2024; Liu et al., 2024c; Xu et al., 2025b), all of the data in OFFSIDE is manually curated. The data construction process consists of three stages:

Image Curation: We manually selected 80 players from 20 Premier League clubs using Google search¹. For each player, we curated the following image sets: three images representing different club periods ($\mathcal{D}_{\text{retain}}$), one image related to a transfer rumor ($\mathcal{D}_{\text{forget}}$), three test images ($\mathcal{D}_{\text{test}}$), and one image for relearning the facts ($\mathcal{D}_{\text{relearn}}$). Here, $\mathcal{D}_{\text{test}}$ is an augmented version of $\mathcal{D}_{\text{retain}}$ (see Figure 2).

¹All images are manually selected from <https://www.google.com/imghp?hl=en>




Figure 2: Overview of the OFFSIDE framework. The MLLM is first fine-tuned on the forget and retain set to obtain the vanilla model, during which it learns the rumors associated with each player. Various unlearning methods are then applied on forget set to obtain the unlearned model. After unlearning, the model is fine-tuned on the relearn set to simulate a continual learning setting. Performance is evaluated on four distinct subsets after both the unlearning and relearning stages.

Text Description Curation: For each image, we constructed 14 QA pairs, comprising 6 that capture *private information* (e.g., the player’s market value, transfer fee) and 8 that capture *shared information* (e.g., the player’s height, birthdate). This design is specifically tailored for a selective unlearning setting, where the aim is to forget certain rumors or private information while retaining shared facts. Additionally, we created pure-text versions of each question-answer pair to test whether existing LLM unlearning methods can be directly extended to MLLMs.

Curating Text-Image Connections: For each player, there are 8 images representing different stages of their career at various clubs. Three images are used for training, three are reserved for testing, and one image contains a rumor about the player’s transfer history, representing the forgotten data that we aim to remove. The remaining images are used for the continual learning setting, simulating the correction of rumors. Each image is associated with 14 VQA pairs, of which 8 capture *shared information* such as the player’s name, nationality, and height, which are consistent across all images of the player. The remaining 6 pairs correspond to *private information*, specifically the player’s transfer details, with each image containing unique transfer information.

To ensure consistency across the player information and the corresponding image text, the entire dataset, covering both collection and construction, was reviewed twice by two football experts to guarantee its quality.

3.3 EVALUATION METRICS

OFFSIDE provides a comprehensive evaluation framework for unlearning methods in MLLMs, assessing unlearning efficacy, generalizability, and model utility as defined by (Liu et al., 2024d), along with the model’s ability to integrate with post-training interventions (continual learning). To ensure a comprehensive evaluation, we assess the performance of the vanilla, unlearned, and relearned models on MM-Bench. We only report experimental results for each unlearning method where the model’s general capabilities are not excessively degraded. This approach guarantees that all models maintain their general capabilities throughout the process, allowing for a fair comparison of both forgetting efficacy and functional consistency.

3.3.1 CLASSIFICATION

To test whether the tested model can recall unlearning targets when certain rumors are provided in prompts, we design the classification task using GPT-4o to apply perturbations near the correct answer. Let a^n represent the correct answer. Using GPT-4o, we generate a perturbation set $\mathcal{A}^n = \{a_1^n, a_2^n, a_3^n, a_4^n\}$, where the model modifies the correct answer while maintaining its structure and linguistic template. Among these four responses (one correct and three perturbations), only the

original is factually correct. Let I^n and Q^n denote the input images and questions, respectively, where n denotes the ID of a given sample. The inputs can be denoted as (I^n, A^n, Q^n) . The model predicts $\hat{y}^n$ by maximizing the probability $P(a^n | I^n, A^n, Q^n, \theta)$, where θ is the evaluated model:

$$\hat{y}^n = \arg \max_{a_i^n \in A^n} P(a^n | I^n, A^n, Q^n, \theta).$$

In the unimodal setting, the input simplifies to $(\emptyset, A^n, Q^n, \theta)$. To evaluate classification performance, accuracy Acc is computed as following:

$$\text{Acc} = \frac{1}{|A^n|} \sum_{a_i^n \in A^n} \mathbb{I}(\hat{y}^n = a^n).$$

3.3.2 GENERATION

The generation score used in our paper is defined as the mean of the four evaluation metrics: ROUGE-1, ROUGE-2, ROUGE-L (Lin, 2004), and BLEU (Papineni et al., 2002). Specifically, it is computed as follows:

$$\text{Generation Score} = \text{Mean}(\text{ROUGE-1} + \text{ROUGE-2} + \text{ROUGE-L} + \text{BLEU}).$$

By averaging these four metrics, we obtain a comprehensive evaluation that captures various aspects of text generation, including lexical overlap, structural similarity, and fluency. This approach mitigates the bias of individual metrics, providing a more balanced and robust assessment of the generated content.

3.3.3 FACTUALITY SCORE

Following previous work (Liu et al., 2024c), we use GPT-4o as an evaluator to assess the factuality, fluency, and semantic relevance of the generated sentences. For each question, we assign a score to the generated answer on a scale from 1 to 10. A score of 1 indicates that the content is completely incorrect or consists of meaningless symbols, while a score of 10 signifies that the answer is factually accurate and well-organized in a coherent sentence.

4 EXPERIMENT

4.1 EXPERIMENT SETUP

Training. We employ the Qwen2.5-VL series model as the base model for unlearning. Supervised Fine-Tuning (SFT) is performed using LoRA with a batch size of 4. For methods that require access to the retain set $\mathcal{D}_{\text{retain}}$, we adopt a balanced forget-retain update schedule, in contrast to the inner-loop forget and outer-loop retain strategy proposed in (Liu et al., 2024c). Specifically, we use a forget-to-retain step ratio of 1:3 (which corresponds to the size ratio of the forget and retain sets) to enhance training stability during the unlearning process. All experiments are conducted on a single H200 GPU (96GB).

Unlearning Algorithms. We evaluate five representative machine unlearning methods to enable an extensive analysis. Specifically, the methods examined include Gradient Ascent (GA) (Yao et al., 2024a), Gradient Difference (GD) (Liu et al., 2022), KL Minimization (Yao et al., 2024b), Preference Optimization (PO) (Maini et al., 2024), and Negative Preference Optimization (NPO) (Zhang et al., 2024). Since some of these approaches may cause progressive degradation in overall model performance during unlearning, we carefully select and report results only under conditions where the model’s core functionality is preserved, thus ensuring the practical utility of the unlearned model.

4.2 DIVERSE EXPERIMENTAL SCENARIOS FOR OFFSIDE

To better imitate complex real-world situations, we design four distinct MLLMs unlearning settings:

Complete Unlearning: In this setting, we treat each image as an individual entity, with the goal of unlearning all connections between rumor images and their corresponding text descriptions. This setting allows us to evaluate whether the unlearning algorithm can effectively forget the rumor.

Table 2: Results of Complete Unlearning. In this setting, we treat all 14 VQA pairs of an image as rumors. The best results of five baselines are highlighted in **blue**.

Models	Forget Set			Test Set			Retain Set			MM-Bench
	Class. Acc (↓)	Generation Score (↓)	Fact. Score (↓)	Class. Acc (↑)	Generation Score (↑)	Fact. Score (↑)	Class. Acc (↑)	Generation Score (↑)	Fact. Score (↑)	MM-Bench Acc (↑)
Qwen2.5-VL-7B										
Pretrained Vanilla	49.4%	0.129	3.67	46.8%	0.115	3.66	47.2%	0.114	3.69	82.4%
	64.4%	0.974	9.86	60.1%	0.710	5.79	65.2%	0.946	9.83	82.3%
GA	62.7%	0.616	4.97	59.0%	0.430	3.86	64.2%	0.632	5.34	81.9%
GD	23.5%	0.321	6.56	59.8%	0.521	5.05	64.3%	0.664	8.47	82.3%
KL	65.0%	0.032	0.57	60.1%	0.655	5.36	66.7%	0.861	9.20	81.9%
PO	62.9%	0.117	1.59	59.8%	0.684	5.67	64.6%	0.914	9.65	82.1%
NPO	62.1%	0.545	8.41	59.7%	0.472	5.42	64.6%	0.571	8.81	82.2%
Qwen2.5-VL-3B										
Pretrained Vanilla	45.5%	0.224	3.68	49.1%	0.220	3.32	49.7%	0.223	3.33	78.4%
	53.6%	0.901	7.51	53.0%	0.651	4.67	55.3%	0.882	7.45	78.1%
GA	53.1%	0.782	6.66	52.9%	0.581	4.57	54.7%	0.774	7.30	78.0%
GD	50.5%	0.155	3.75	50.8%	0.576	4.38	53.1%	0.747	6.97	78.0%
KL	48.6%	0.550	5.62	54.1%	0.633	4.55	54.1%	0.859	7.31	78.1%
PO	57.5%	0.207	4.53	56.4%	0.671	4.00	56.4%	0.805	6.26	78.0%
NPO	45.1%	0.371	5.48	49.3%	0.337	3.71	50.2%	0.408	5.69	78.0%

Table 3: Results of Selective Unlearning. In this setting, we merely unlearn the 6 private information of the rumor images and preserve shared ones. The best results of five baselines are highlighted in **blue**.

Models	Private Info			Test Set			Shared Info			MM-Bench
	Class. Acc (↓)	Generation Score (↓)	Fact. Score (↓)	Class. Acc (↑)	Generation Score (↑)	Fact. Score (↑)	Class. Acc (↑)	Generation Score (↑)	Fact. Score (↑)	MM-Bench Acc (↑)
Qwen2.5-VL-3B										
Vanilla	56.5%	0.832	6.40	53.5%	0.654	4.66	60.8%	0.951	8.74	78.3%
GA	57.2%	0.518	5.30	52.9%	0.408	3.56	60.8%	0.709	7.52	77.9%
GD	57.3%	0.571	5.78	51.9%	0.623	4.50	60.6%	0.895	8.45	78.1%
KL	58.4%	0.725	5.20	52.2%	0.616	4.48	61.2%	0.921	8.67	78.0%
PO	59.6%	0.412	2.85	56.8%	0.545	4.02	63.7%	0.841	7.97	78.2%
NPO	58.9%	0.648	5.65	50.6%	0.584	4.29	58.9%	0.874	8.24	78.1%

Selective Unlearning: In this scenario, we focus on removing only the private information of a given image while preserving shared, non-sensitive attributes. Specifically, the shared information of $\mathcal{D}_{\text{forget}}$ is removed to $\mathcal{D}_{\text{retain}}$ and the left private information serve as the $\mathcal{D}_{\text{forget}}$. This approach is more realistic, as it enables the model to maintain its core ability to recognize players based on essential characteristics, such as name, height, and dominant foot.

Corrective Relearning: This setting operates within a continual learning framework, where the unlearned model, θ_u , is allowed to relearn the facts. This not only assesses the model utility of θ_u but also evaluates whether the unlearned knowledge can be effectively recovered.

Unimodal Unlearning: In this setup, we combine the name of each entity with Q^n . During unlearning, we set the input image to $\emptyset$. This allows us to test whether the LLM unlearning algorithms can seamlessly integrate into multimodal unlearning methods. Additionally, it aids researchers in understanding how MLLMs store knowledge.

4.3 EXPERIMENTAL RESULTS

In this section, we present a comprehensive comparison of several representative unlearning algorithms, evaluated using the proposed OFFSIDE across four real-world settings.

Table 2 shows the results of the setting of **Complete Unlearning** which is a common setting in previous works (Liu et al., 2024c; Dontsov et al., 2024). From this table, GA and NPO results in a significant drop in accuracy on both the test set and retain set while performing the forgetting process. KL and PO demonstrate strong performance on both of the Qwen2.5-VL 7B and 3B models, especially on preventing significant degradation in model performance. However, they are prone to

Table 4: Results of Corrective relearning. In this setting, we fine-tune the unlearned model in Table 2 on $\mathcal{D}_{\text{relearn}}$. The best results of five baselines are highlighted in **blue**. The results of vanilla model directly skip the unlearning stage and relearn the facts.

Models	Forget Set			Test Set			Retain Set			Relearn Set			MM-Bench
	Class. Acc (↓)	Generation Score (↓)	Fact. Score (↓)	Class. Acc (↑)	Generation Score (↑)	Fact. Score (↑)	Class. Acc (↑)	Generation Score (↑)	Fact. Score (↑)	Class. Acc (↑)	Generation Score (↑)	Fact. Score (↑)	MM-Bench Acc (↑)
Qwen2.5-VL-7B													
Vanilla	59.7%	0.576	8.36	58.3%	0.445	5.24	62.8%	0.548	8.05	59.1%	0.911	9.26	82.3%
GA	57.5%	0.584	8.49	54.4%	0.440	5.16	59.4%	0.554	8.33	55.9%	0.895	9.22	81.9%
GD	62.2%	0.489	7.87	61.4%	0.473	5.24	63.9%	0.569	8.04	62.2%	0.908	9.23	82.0%
KL	63.8%	0.336	4.55	61.5%	0.483	5.25	66.7%	0.594	8.29	62.1%	0.911	9.19	81.9%
PO	64.7%	0.567	8.23	61.2%	0.437	5.17	65.9%	0.538	7.99	65.0%	0.914	9.22	82.1%
NPO	59.3%	0.527	7.95	54.9%	0.408	5.07	59.9%	0.503	7.75	55.6%	0.909	9.21	81.9%
Qwen2.5-VL-3B													
Vanilla	53.2%	0.589	6.73	53.3%	0.443	4.48	55.3%	0.522	6.39	55.2%	0.899	8.90	78.2%
GA	51.3%	0.549	6.60	52.7%	0.431	4.46	52.6%	0.501	6.21	55.1%	0.901	8.86	77.9%
GD	47.9%	0.447	6.08	47.4%	0.430	4.32	49.8%	0.505	6.11	46.7%	0.893	8.79	78.0%
KL	47.6%	0.497	6.14	48.8%	0.429	4.31	50.2%	0.512	6.38	49.2%	0.899	8.86	78.0%
PO	46.9%	0.566	6.57	47.8%	0.456	4.33	50.1%	0.501	6.41	48.8%	0.906	9.01	78.1%
NPO	47.6%	0.497	6.15	48.8%	0.429	4.31	50.2%	0.511	6.37	49.2%	0.899	8.86	77.9%

overfitting to the $\mathcal{D}_{\text{relearn}}$ in practical. As a result, the methods require very careful control of the training process, limiting their practicality.

Table 3 presents the results of Selective Unlearning. We observe that all the baselines exhibit a performance drop (compared to the vanilla model) in both private information and shared information. This indicates that the tested baselines have trouble selectively unlearning private information in a given image while preserving shared information. This uncovers that **existing methods focus on entity-level unlearning, which disrupts all associations between a given image and related text, making it challenging to selectively cut part of the associations.**

Table 4 presents the results of Corrective Relearning. The model used here is based on Table 2, where we retrain the unlearned model. Surprisingly, we found that after relearning, all of the baselines exhibit a "bounce-back" effect on either the 3B or 7B model (since relearning serves as a continual learning process, it is common to forget, but uncommon to recover), indicating that the knowledge previously forgotten can be easily recovered through simple retraining. Specifically, KL achieves a fact score of 0.57 on the forget set, which increases to 4.55 after relearning. This suggests that **none of the baselines truly forget the rumor information; instead, they merely conceal it.**

Figure 3 presents the results of the **Unimodal Unlearning** setting. In the multimodal setup, the input consists of both text and images, while in the unimodal setup, only text is provided. As shown in the results, multimodal unlearning methods, while forgetting information, simultaneously lead to a trade-off with a decrease in model utility. All unimodal unlearning methods struggle to unlearn multimodal rumors. This suggests that **the target information is not only restored in LLMs but also embedded within the visual layer of MLLMs.** This highlights the need for researchers to design unlearning methods specifically tailored to the unique characteristics of MLLMs.



Figure 3: Results of the Unimodal Unlearning. RS, TS, FS represent retain set, test set, and forget set, respectively. CA, GS, FS refer to classification accuracy, generation score, and fact score, respectively.

4.4 DISCUSSION

In this section, we present and discuss several key findings based on the experimental results, and we summarize the main conclusions drawn from our analysis.




Figure 4: Illustration of experimental conclusions, observed from the OFFSIDE benchmark.

All baselines have trouble unlearning visual rumors. As shown in Figure 4, when confronted with deceptive visual rumors, the model can easily be misled due to its powerful reasoning capabilities. This is intuitive because, even if the model forgets the visual rumors at the visual-text fusion level, it still lacks the knowledge needed to answer the question. Consequently, the model’s response largely depends on the information it perceives in the image, without recognizing that the visual information is unreliable.

All of the tested baselines remain vulnerable to prompt based attacks. Although certain methods achieve low generation and fact scores on the forget set, they still maintain high classification accuracy. This indicates that when rumor information appears in the prompt, the model can still recognize and select the incorrect knowledge, thereby exposing its susceptibility to prompt-induced retrieval. For instance, as shown in Table 2, PO demonstrates strong performance in generation and fact scoring, suggesting effective forgetting. However, its classification accuracy remains close to that of the original, unmodified model, revealing a critical gap in current unlearning approaches. This persistent ability to match forgotten content in classification task underscores the need for more comprehensive and robust unlearning techniques that address both generative and discriminative exposure.

Unlearning efficacy is largely driven by catastrophic forgetting. In Figure 4, we compare the GPT-evaluation results of models relearned after forgetting with those of the directly relearned vanilla model. We observe that the knowledge unlearned by the baselines closely resembles catastrophic forgetting in continual learning. Specifically, the unlearned sample IDs through GA, GD, KL, and NPO show 71%, 48%, 58%, and 60% similarity to the forgotten IDs after a simple relearning step. This suggests that **the unlearning ability of the tested baselines is primarily driven by catastrophic forgetting in continual learning**. This is largely because these unlearning algorithms can be viewed as a form of continual learning, which inherently results in catastrophic forgetting. This phenomenon demonstrates how catastrophic forgetting can be leveraged as a method for machine unlearning and highlights a promising direction for future research.

In some rare cases, the unlearned model outperforms the vanilla model. As illustrated by the PO example in Table 2, the unlearned model achieves a higher generation score on the test set compared to the vanilla model. This improvement can be primarily attributed to the reintroduction of $\mathcal{D}_{\text{retain}}$. To obtain the vanilla model, we ensure that it is not overfitted to $\mathcal{D}_{\text{finetune}}$. During the unlearning process, incorporating $\mathcal{D}_{\text{retain}}$ can enhance generalization on $\mathcal{D}_{\text{finetune}}$. However, methods that rely on $\mathcal{D}_{\text{retain}}$ are at risk of overfitting, which requires careful management.

Methods such as KL Minimization demonstrate greater effectiveness when applied to a 7B model, but show reduced efficacy with a 3B model. This is primarily due to the random direction of optimization in gradient-ascent-based methods. Before model collapse occurs, these methods struggle to control the optimization direction, which may lead to significant deviations in the results. In contrast, methods like PO, which do not rely on gradient ascent, show more stable performance across both models.

5 CONCLUSION

We introduce OFFSIDE, designed to simulate a real-world scenario for unlearning in MLLMs. We propose four distinct settings (Complete Unlearning, Selective Unlearning, Corrective Relearning, and Unimodal Unlearning) to establish a robust unlearning framework and comprehensively evaluate a list of representative machine unlearning baselines. Our findings indicate that: all baselines struggle to unlearn visual rumors, and the unlearned knowledge can be easily recovered through prompt attacks (classification tasks) or simple relearning. Moreover, directly applying unimodal unlearning methods proves inadequate for effectively removing multimodal rumors, highlighting the need for algorithms specifically tailored to MLLM unlearning. Notably, our corrective relearn setting reveals that the unlearning ability of the tested baselines is primarily driven by catastrophic forgetting within continual learning. This suggests a potential connection between machine unlearning and continual learning. Overall, our findings provide valuable empirical insights that guide the development of more effective unlearning methods for future MLLM research.

Ethics statement. All images used in this study are collected from real-world sources. To prevent the spread of misinformation or rumors, we will provide the original URLs for each image. These URLs are intended solely for research purposes and should be used exclusively by qualified researchers for academic investigation. This transparency ensures traceability and supports reproducibility while upholding responsible research practices.

Reproducibility statement. The computational resources and experimental setup required for this study are provided. Upon acceptance of the paper, we will release all source code associated with our experiments.

REFERENCES

- Stanislaw Antol, Aishwarya Agrawal, Jiasen Lu, Margaret Mitchell, Dhruv Batra, C Lawrence Zitnick, and Devi Parikh. Vqa: Visual question answering. In *ICCV*, pp. 2425–2433, 2015.
- Shuai Bai, Keqin Chen, Xuejing Liu, Jialin Wang, Wenbin Ge, Sibao Song, Kai Dang, Peng Wang, Shijie Wang, Jun Tang, Humen Zhong, Yanzhi Zhu, Mingkun Yang, Zhaohai Li, Jianqiang Wan, Pengfei Wang, Wei Ding, Zheren Fu, Yiheng Xu, Jiabo Ye, Xi Zhang, Tianbao Xie, Zesen Cheng, Hang Zhang, Zhibo Yang, Haiyang Xu, and Junyang Lin. Qwen2.5-vl technical report. *arXiv preprint arXiv:2502.13923*, 2025.
- Yinzhi Cao and Junfeng Yang. Towards making systems forget with machine unlearning. In *IEEE S&P*, pp. 463–480, 2015.
- Junkai Chen, Zhijie Deng, Kening Zheng, Yibo Yan, Shuliang Liu, PeiJun Wu, Peijie Jiang, Jia Liu, and Xuming Hu. Safeeraser: Enhancing safety in multimodal large language models through multimodal machine unlearning, 2025. URL <https://arxiv.org/abs/2502.12520>.
- Siyuan Cheng, Bozhong Tian, Qingbin Liu, Xi Chen, Yongheng Wang, Huajun Chen, and Ningyu Zhang. Can we edit multimodal large language models? *arXiv preprint arXiv:2310.08475*, 2023.
- Quang-Vinh Dang. Right to be forgotten in the age of machine learning. In *ICADS*, pp. 403–411, 2021.
- Zhijie Deng, Chris Yuhao Liu, Zirui Pang, Xinlei He, Lei Feng, Qi Xuan, Zhaowei Zhu, and Jiaheng Wei. Guard: Generation-time llm unlearning via adaptive restriction and detection. *arXiv preprint arXiv:2505.13312*, 2025.
- Brian Dolhansky, Joanna Bitton, Ben Pflaum, Jikuo Lu, Russ Howes, Menglin Wang, and Cristian Canton Ferrer. The deepfake detection challenge (dfdc) dataset. *arXiv preprint arXiv:2006.07397*, 2020.
- Alexey Dontsov, Dmitrii Korzh, Alexey Zhavoronkin, Boris Mikheev, Denis Bobkov, Aibek Alanov, Oleg Y Rogov, Ivan Oseledets, and Elena Tutubalina. Clear: Character unlearning in textual and visual modalities. *arXiv preprint arXiv:2410.18057*, 2024.

- R Eldan and M Russinovich. Who’s harry potter? approximate unlearning in llms, arxiv. *arXiv preprint arXiv:2310.02238*, 2023.
- Chongyu Fan, Jiancheng Liu, Alfred Hero, and Sijia Liu. Challenging forgets: Unveiling the worst-case forget sets in machine unlearning. In *European Conference on Computer Vision*, pp. 278–297. Springer, 2024.
- Chongyu Fan, Jinghan Jia, Yihua Zhang, Anil Ramakrishna, Mingyi Hong, and Sijia Liu. Towards llm unlearning resilient to relearning attacks: A sharpness-aware minimization perspective and beyond. *arXiv preprint arXiv:2502.05374*, 2025.
- Yash Goyal, Tejas Khot, Douglas Summers-Stay, Dhruv Batra, and Devi Parikh. Making the v in vqa matter: Elevating the role of image understanding in visual question answering. In *CVPR*, pp. 6904–6913, 2017.
- Yanming Guo, Yu Liu, Ard Oerlemans, Songyang Lao, Song Wu, and Michael S Lew. Deep learning for visual understanding: A review. *Neurocomputing*, 187:27–48, 2016.
- Jiahao Huo, Yibo Yan, Xu Zheng, Yuanhuiyi Lyu, Xin Zou, Zhihua Wei, and Xuming Hu. Mmunlearner: Reformulating multimodal machine unlearning in the era of multimodal large language models. *arXiv preprint arXiv:2502.11051*, 2025.
- Justin Johnson, Bharath Hariharan, Laurens Van Der Maaten, Li Fei-Fei, C Lawrence Zitnick, and Ross Girshick. Clevr: A diagnostic dataset for compositional language and elementary visual reasoning. In *CVPR*, pp. 2901–2910, 2017.
- Tero Karras, Samuli Laine, Miika Aittala, Janne Hellsten, Jaakko Lehtinen, and Timo Aila. Analyzing and improving the image quality of stylegan. In *IEEE/CVF conference*, pp. 8110–8119, 2020.
- Tatsuki Kawakami, Kazuki Egashira, Atsuyuki Miyai, Go Irie, and Kiyoharu Aizawa. Pulse: Practical evaluation scenarios for large multimodal model unlearning. *arXiv preprint arXiv:2507.01271*, 2025.
- Black Forest Labs. Flux. <https://github.com/black-forest-labs/flux>, 2024.
- Jiaqi Li, Miaozeng Du, Chuanyi Zhang, Yongrui Chen, Nan Hu, Guilin Qi, Haiyun Jiang, Siyuan Cheng, and Bozhong Tian. Mike: A new benchmark for fine-grained multimodal entity knowledge editing. *arXiv preprint arXiv:2402.14835*, 2024a.
- Jiaqi Li, Qianshan Wei, Chuanyi Zhang, Guilin Qi, Miaozeng Du, Yongrui Chen, Sheng Bi, and Fan Liu. Single image unlearning: Efficient machine unlearning in multimodal large language models. In *NeurIPS*, pp. 35414–35453, 2024b.
- Ling Li, Yu Ye, Bingchuan Jiang, and Wei Zeng. Georeasoner: Geo-localization with reasoning in street views using a large vision-language model. In *ICML*, 2024c.
- Ling Li, Yao Zhou, Yuxuan Liang, Fugee Tsung, and Jiaheng Wei. Recognition through reasoning: Reinforcing image geo-localization with large vision-language models. *arXiv preprint arXiv:2506.14674*, 2025a.
- Xinye Li, Zunwen Zheng, Qian Zhang, Dekai Zhuang, Jiabao Kang, Liyan Xu, Qingbin Liu, Xi Chen, Zhiying Tu, Dianhui Chu, et al. Scredit: Script-based assessment of knowledge editing. *arXiv preprint arXiv:2505.23291*, 2025b.
- Chin-Yew Lin. ROUGE: A package for automatic evaluation of summaries. In *ACL*, pp. 74–81, 2004.
- Bo Liu, Qiang Liu, and Peter Stone. Continual learning and private unlearning. In *CoLLAs*, pp. 243–254, 2022.
- Yuan Liu, Haodong Duan, Yuanhan Zhang, Bo Li, Songyang Zhang, Wangbo Zhao, Yike Yuan, Jiaqi Wang, Conghui He, Ziwei Liu, et al. Mmbench: Is your multi-modal model an all-around player? In *ECCV*, pp. 216–233, 2024a.

- Yujian Liu, Yang Zhang, Tommi Jaakkola, and Shiyu Chang. Revisiting who’s harry potter: Towards targeted unlearning from a causal intervention perspective. *arXiv preprint arXiv:2407.16997*, 2024b.
- Zheyuan Liu, Guangyao Dou, Mengzhao Jia, Zhaoxuan Tan, Qingkai Zeng, Yongle Yuan, and Meng Jiang. Protecting privacy in multimodal large language models with mllmu-bench. *arXiv preprint arXiv:2410.22108*, 2024c.
- Zheyuan Liu, Guangyao Dou, Zhaoxuan Tan, Yijun Tian, and Meng Jiang. Machine unlearning in generative ai: A survey. *arXiv preprint arXiv:2407.20516*, 2024d.
- Ximing Lu, Sean Welleck, Jack Hessel, Liwei Jiang, Lianhui Qin, Peter West, Prithviraj Ammanabrolu, and Yejin Choi. Quark: Controllable text generation with reinforced unlearning. In *NeurIPS*, pp. 27591–27609, 2022.
- Pratyush Maini, Zhili Feng, Avi Schwarzschild, Zachary C Lipton, and J Zico Kolter. Tofu: A task of fictitious unlearning for llms. *arXiv preprint arXiv:2401.06121*, 2024.
- Eric Mitchell, Charles Lin, Antoine Bosselut, Chelsea Finn, and Christopher D Manning. Fast model editing at scale. *arXiv preprint arXiv:2110.11309*, 2021.
- Quoc Phong Nguyen, Bryan Kian Hsiang Low, and Patrick Jaillet. Variational bayesian unlearning. In *NeurIPS*, pp. 16025–16036, 2020.
- Zirui Pang, Haosheng Tan, Yuhan Pu, Zhijie Deng, Zhouan Shen, Keyu Hu, and Jiaheng Wei. When vlms meet image classification: Test sets renovation via missing label identification. *arXiv preprint arXiv:2505.16149*, 2025.
- Foivos Paraperas Papantoniou, Alexandros Lattas, Stylianos Moschoglou, Jiankang Deng, Bernhard Kainz, and Stefanos Zafeiriou. Arc2face: A foundation model for id-consistent human faces. In *ECCV*, pp. 241–261. Springer, 2024.
- Kishore Papineni, Salim Roukos, Todd Ward, and Wei-Jing Zhu. Bleu: a method for automatic evaluation of machine translation. In Pierre Isabelle, Eugene Charniak, and Dekang Lin (eds.), *ACL*, pp. 311–318, 2002.
- Vaidehi Patil, Peter Hase, and Mohit Bansal. Can sensitive information be deleted from llms? objectives for defending against extraction attacks. *arXiv preprint arXiv:2309.17410*, 2023.
- Ethan Perez, Florian Strub, Harm De Vries, Vincent Dumoulin, and Aaron Courville. Film: Visual reasoning with a general conditioning layer. In *AAAI*, 2018.
- Weijia Shi, Jaechan Lee, Yangsibo Huang, Sathika Malladi, Jieyu Zhao, Ari Holtzman, Daogao Liu, Luke Zettlemoyer, Noah A Smith, and Chiyuan Zhang. Muse: Machine unlearning six-way evaluation for language models. *arXiv preprint arXiv:2407.06460*, 2024.
- Nianwen Si, Hao Zhang, Heyu Chang, Wenlin Zhang, Dan Qu, and Weiqiang Zhang. Knowledge unlearning for llms: Tasks, methods, and challenges. *arXiv preprint arXiv:2311.15766*, 2023.
- Kozo Sugiyama, Shojiro Tagawa, and Mitsuhiro Toda. Methods for visual understanding of hierarchical system structures. *IEEE Transactions on Systems, Man, and Cybernetics*, 11(2):109–125, 2007.
- Anvith Thudi, Gabriel Deza, Varun Chandrasekaran, and Nicolas Papernot. Unrolling sgd: Understanding factors influencing machine unlearning. In *EuroS&P*, pp. 303–319, 2022.
- Gido M Van de Ven and Andreas S Tolias. Three scenarios for continual learning. *arXiv preprint arXiv:1904.07734*, 2019.
- Liyuan Wang, Xingxing Zhang, Hang Su, and Jun Zhu. A comprehensive survey of continual learning: Theory, method and application. *IEEE transactions on pattern analysis and machine intelligence*, 46(8):5362–5383, 2024a.

- Shuai Wang, Zhenhua Liu, Jiaheng Wei, Xuanwu Yin, Dong Li, and Emad Barsoum. Athena: Enhancing multimodal reasoning with data-efficient process reward models. *arXiv preprint arXiv:2506.09532*, 2025.
- Yaxuan Wang, Jiaheng Wei, Chris Yuhao Liu, Jinlong Pang, Quan Liu, Ankit Parag Shah, Yujia Bao, Yang Liu, and Wei Wei. Llm unlearning via loss adjustment with only forget data. *arXiv preprint arXiv:2410.11143*, 2024b.
- Zecheng Wang, Xinye Li, Zhanyue Qin, Chunshan Li, Zhiying Tu, Dianhui Chu, and Dianbo Sui. Can we debias multimodal large language models via model editing? In *ACM MM*, pp. 3219–3228, 2024c.
- Jiaheng Wei, Minghao Liu, Jiahao Luo, Andrew Zhu, James Davis, and Yang Liu. Duelgan: a duel between two discriminators stabilizes the gan training. In *European Conference on Computer Vision*, pp. 290–317. Springer, 2022.
- Mika Westerlund. The emergence of deepfake technology: A review. *Technology innovation management review*, 9(11), 2019.
- Mingjie Xu, Andrew Estornell, Hongzheng Yang, Yuzhi Zhao, Zhaowei Zhu, Qi Xuan, and Jiaheng Wei. Better reasoning with less data: Enhancing vlms through unified modality scoring. *arXiv preprint arXiv:2506.08429*, 2025a.
- Zhaopan Xu, Pengfei Zhou, Weidong Tang, Jiaxin Ai, Wangbo Zhao, Xiaojiang Peng, Kai Wang, Yang You, Wenqi Shao, Hongxun Yao, et al. Pebench: A fictitious dataset to benchmark machine unlearning for multimodal large language models. *arXiv preprint arXiv:2503.12545*, 2025b.
- Jin Yao, Eli Chien, Minxin Du, Xinyao Niu, Tianhao Wang, Zezhou Cheng, and Xiang Yue. Machine unlearning of pre-trained large language models. *arXiv preprint arXiv:2402.15159*, 2024a.
- Yuanshun Yao, Xiaojun Xu, and Yang Liu. Large language model unlearning. In *NeurIPS*, pp. 105425–105475, 2024b.
- Ruiqi Zhang, Licong Lin, Yu Bai, and Song Mei. Negative preference optimization: From catastrophic collapse to effective unlearning. *arXiv preprint arXiv:2404.05868*, 2024.
- Haomin Zhuang, Yihua Zhang, Kehan Guo, Jinghan Jia, Gaowen Liu, Sijia Liu, and Xiangliang Zhang. Uoe: Unlearning one expert is enough for mixture-of-experts llms. *arXiv preprint arXiv:2411.18797*, 2024.

APPENDIX

The Appendix is organized as follows.

- **Section A:** Introduces the baseline methods compared in our experiments.
- **Section B:** Introduces the MM-Bench Indicator Definitions.
- **Section C:** Describes the supervised Fine-tuning process.
- **Section D:** A detailed version of hyperparameters settings.
- **Section E:** A case study of our proposed settings.
- **Section F:** Outlines the extent to which we employ LLMs.
- **Section G:** A detailed description of GPT prompt strategy.

A UNLEARNING METHODS

Gradient Ascent(GA) Yao et al. (2024b): This method updates the model parameters by maximizing the likelihood of misprediction for the samples in the forget set D_{forget} . For a given sample $x \in D_{\text{forget}}$, the loss function is defined as:

$$\mathcal{L}(D_{\text{forget}}, w) = \frac{1}{|D_{\text{forget}}|} \sum_{x \in D_{\text{forget}}} \ell(x, w). \quad (1)$$

Gradient Difference (GD) Liu et al. (2022): This method extends gradient ascent by simultaneously focusing on forgetting the samples in the forget set D_{forget} while preserving performance on the retain set D_{retain} . The objective is to balance increasing the loss on the forget set and minimizing its impact on the retain set. The overall loss function to be minimized is formulated as:

$$\mathcal{L}_{\text{diff}}(w) = -\mathcal{L}(D_{\text{forget}}, w) + \mathcal{L}(D_{\text{retain}}, w). \quad (2)$$

KL_Min Yao et al. (2024a): This method extends gradient ascent by introducing an additional objective that minimizes the Kullback–Leibler (KL) divergence between the predictions of the original model M_{ori} and the updated model M_{new} on the retain set D_{retain} . The KL divergence loss is defined as:

$$\mathcal{L}_{\text{KL}} = \frac{1}{|D_{\text{retain}}|} \sum_{s \in D_{\text{retain}}} \frac{1}{|s|} \sum_{i=2}^{|s|} \text{KL}\left(M_{\text{ori}}(s_{<i}) \parallel M_{\text{new}}(s_{<i})\right). \quad (3)$$

The overall training objective combines the gradient ascent loss on the forget set with the KL divergence loss on the retain set, which is formulated as:

$$\mathcal{L}_{\text{total}}(w) = -\mathcal{L}(D_{\text{forget}}, w) + \mathcal{L}_{\text{KL}}. \quad (4)$$

Preference Optimization (PO) Maini et al. (2024): This method steers the model to align with newly generated responses such as “I do not know the answer” and its variants for questions belonging to the forget set D_{forget} . At the same time, it incorporates a retain-set term to ensure that predictions on the retain set D_{retain} remain unaffected. The total objective function is formulated as:

$$\mathcal{L}_{\text{idk}}(w) = \mathcal{L}(D_{\text{retain}}, w) + \mathcal{L}(D_{\text{forget}}^{\text{idk}}, w). \quad (5)$$

Negative Preference Optimization(Zhang et al. (2024): In our work, we adopt the Negative Preference Optimization (NPO) technique to unlearn undesirable data, thereby mitigating the catastrophic collapse often observed in gradient ascent–based methods. NPO builds on the preference optimization framework, but specifically targets negative samples from the forget set D_{forget} .

The NPO loss is defined as:

$$\mathcal{L}_{\text{NPO}} = \frac{2}{\beta} \mathbb{E}_{(x,y) \in D_{\text{forget}}} \left[\log \left(1 + \left(\frac{\pi_{\theta}(y|x)}{\pi_{\text{ref}}(y|x)} \right)^{\beta} \right) \right], \quad (6)$$

Table 5: Performance of the vanilla OFFSIDE and MLLMU-Bench models on MM-Bench.

Method	MM-Bench						
	Overall	LR	AR	RR	FP-S	FP-C	CP
Qwen2.5-VL-7B	82.4	71.7	84.9	80.2	89.8	80.1	81.3
LLaVA-1.5-7B	62.3	29.9	73.1	54.7	69.6	57.7	68.5
MLLMU-Qwen2.5-VL-7B	80.4	68.2	80.2	73.9	87.9	77.7	83.2
OFFSIDE-Qwen2.5-VL-7B	82.3	69.2	82.0	79.1	88.5	78.9	85.5

where $\pi_\theta(y|x)$ denotes the probability assigned by the current model, and $\pi_{\text{ref}}(y|x)$ is the probability from a reference model trained on the entire dataset. The parameter β controls the smoothness of optimization: as $\beta \rightarrow 0$, the NPO loss converges to the standard gradient ascent loss.

By minimizing $\mathcal{L}_{\text{NPO}}$, the model reduces its reliance on the forget set, leading to a more stable unlearning process and avoiding the rapid degradation characteristic of gradient ascent. In our experiments, we follow the original paper and set $\beta = 0.9$. The reference distribution π_{ref} is obtained by fine-tuning the pre-trained model exclusively on the retain set D_{retain} .

B MM-BENCH INDICATOR DEFINITIONS

To comprehensively evaluate model capabilities, MM-Bench defines multiple indicators that jointly cover overall performance, reasoning ability (attributes and relations), and perception ability at both fine-grained and coarse-grained levels. These indicators aim to capture the model’s strengths and weaknesses across diverse dimensions of multimodal understanding.

Overall: *Overall* denotes the overall accuracy of a model on the entire MM-BENCH-TEST set. It reflects the model’s performance across all ability dimensions, encompassing both perception and reasoning tasks, and is evaluated under the strict circularEval strategy.

Attribute Reasoning(AR): AR measures a model’s ability to reason about attributes of objects or people. This includes identifying physical properties such as hardness or conductivity, inferring the function of tools and objects, and recognizing identities or professions based on appearance.

Relation Reasoning(RR): RR measures reasoning about different types of relationships. It includes social relations between people (e.g., family, friends, colleagues), physical relations in the environment (such as spatial positioning or distance), and natural relations in ecosystems (such as predation, competition, or symbiosis).

Fine-grained Perception(FP-S): FP-S reflects the model’s fine-grained perception ability when dealing with a single object or entity. It covers tasks such as locating objects in an image, recognizing specific attributes like shape or color, identifying celebrities or famous figures, and reading text within an image (OCR).

Fine-grained Perception(FP-C): FP-C measures fine-grained perception across multiple objects in an image. It includes understanding spatial relationships between objects, comparing attributes (e.g., colors or shapes), and recognizing human actions and interactions involving multiple participants.

Coarse Perception(CP): CP evaluates coarse-grained perception abilities. It focuses on a model’s capacity to recognize general aspects of an image, such as its style (photo, sketch, painting), the scene it depicts (indoor, forest, street), the overall emotion it conveys (happy, sad, anxious), the visual quality (clarity, brightness, contrast), and the main topic or subject.

In Table 5, we use MLLMU-Bench and OFFSIDE to fine-tune Qwen2.5-VL 7B with the same number of steps. We find that fine-tuning on synthetic datasets reduces the model’s general ability. However, using the proposed OFFSIDE method preserves the model’s general performance. This highlights the importance of using a dataset that simulates real-world scenarios.

C VANILLA MODEL FINE-TUNING

To simulate a real-life scenario where unlearning algorithms are applied to a "pre-trained" model, we first fine-tune the off-the-shelf MLLM model using the full set $\mathcal{D}$. The fine-tuning process involves pairing visual inputs (images of the individuals) with textual information (questions and answers), allowing the model to learn associations between these modalities. For each input $\langle \mathbf{I}^n, \mathbf{Q}^n, \mathbf{Y}^n \rangle$, where $\mathbf{I}^n$ is the visual representation of the individual, $\mathbf{Q}^n$ is the question, and $\mathbf{Y}^n$ is the ground-truth answer, the model is trained to predict the answer $\hat{y}^n$. The loss function for a single sample is defined as the negative log-likelihood (NLL) over the answer tokens:

$$l(\mathbf{Q}^n, \mathbf{Y}^n, w) = \frac{1}{|\mathbf{Y}^n|} \sum_{i=1}^{|\mathbf{Y}^n|} \text{NLL}_w(y_i^n | [\mathbf{Q}^n, y_{<i}^n, \mathbf{I}^n]),$$

where w represents the model parameters, and the loss is averaged over all tokens in the answer sequence $\mathbf{Y}^n$. The overall objective during fine-tuning is to minimize the average loss across the entire dataset D , expressed as:

$$L(D, w) = \frac{1}{|D|} \sum_{(\mathbf{Q}^n, \mathbf{Y}^n) \in D} l(\mathbf{Q}^n, \mathbf{Y}^n, w).$$

After fine-tuning, the model represents the "vanilla" version, which serves as the starting point for subsequent unlearning experiments.

D HYPERPARAMETERS SETTINGS

For all fine-tuning phases, we set the maximum output length to 128. For the LoRA configuration, we set $r = 8$, $\alpha = 32$, dropout = 0.05, and the learning rate to 1×10^{-4} . For unlearning methods, we maintain the same settings except for the learning rate, which is adjusted to 2×10^{-5} . For methods requiring $\mathcal{D}_{\text{retain}}$, the previous benchmark utilized an inner loop for the forget set and an outer loop for the retain set. This setup meant that the impact of the forget loss could be easily "healed" by gradient descent on retain batches, which introduced significant randomness due to the instability of the tuning process. To address this issue, we adopted a balanced forget-retain update strategy (e.g., forget step: retrain step = 1:3), ensuring more stable and consistent results. We will provide more detailed Hyperparameters setting in our code.



Figure 5: Case study of four unlearning settings, each simulating a real-world MLLM unlearning scenario.

E CASE STUDY

We present the case study under our specially designed four settings in Figure 5. *Complete Unlearning* evaluates the ability of MU methods to remove all image-text connections, ensuring that the model

forgets the entire knowledge associated with specific visual or textual inputs. *Selective Unlearning* tests the methods' capacity to accurately unlearn unwanted knowledge while preserving the shared, valuable information across modalities, highlighting the precision of the unlearning process. *Relearn Facts* serves as a continual learning setting, where the model must relearn certain facts after unlearning them, simulating real-world scenarios where knowledge evolves and needs to be updated. Finally, *Unimodal Unlearning* examines whether unimodal methods, designed for single-modality data, can be directly applied to Multimodal Large Language Model (MLLM) MU settings, revealing the limitations and challenges of using unimodal techniques in multimodal contexts.

F USE OF AI ASSISTANTS

LLMs are employed to polish the language of our paper. What's more, we evaluate the factual accuracy of the generated answers using GPT-4o. Apart from these, we have not included any usage of LLMs, preserving the originality and quality of this work.

G GPT PROMPT STRATEGY

In this section, we detail the methodology employed to construct our dataset using the OpenAI API. To evaluate the faculty score of the generated answers, we carefully designed a structured prompt, as illustrated in Figure 8. This prompt enables a systematic and transparent evaluation of generated answers by providing clear, multi-dimensional criteria focused on factuality, relevance, and fluency. It ensures consistency and granularity through a well-defined scoring scale and explicit guidelines for handling language issues. Furthermore, we leverage GPT-4o to generate high-quality classification data, with the exact prompt used provided in Figure 7. In addition to classification data, we also utilize GPT-4o to construct unimodal unlearning data, as detailed in the prompt shown in Figure 6. This type of data is specifically designed to isolate and examine individual modalities or attributes within the model's knowledge.

GPT-4o Prompting Strategy for Creating Pure Text Data
prompt = f""" You are cleaning a multimodal Q&A dataset about football players. 1. If the user question is about the player's name or identity (e.g. "Who is the player?", "What is the name of the player?", "Can you tell me who this is?"), REMOVE this Q&A pair from the dataset. Do not output anything for these cases. 2. For all other questions, REWRITE the user question so that it directly uses the player's name (from the mapping below) instead of referring to "the player" or "this player". For example, change "How tall is the player in the image?" to "How tall is {player_name}?" or "What is {player_name}'s height?". The question should be natural and concise. 3. The assistant answer should remain unchanged. Player name mapping: {player_name} Original user question: {user_content} Original assistant answer: {assistant_content} Output ONLY valid JSON: <pre> {{ "messages": [{{ "role": "user", "content": "Your rewritten user question" }}, {{ "role": "assistant", "content": "Original assistant answer" }}], "images": "{image_path}" }} </pre> If the Q&A is about the player's name/identity, output nothing. """"

Figure 6: Prompt strategy of creating pure text description.

GPT-4o Prompting Strategy for Creating Classification Data
prompt = f"""" Please reformat the following multiple-choice question options to ensure they all have exactly the same sentence structure and format. Original question: {question} Current options: A: {options.get('A', '')} B: {options.get('B', '')} C: {options.get('C', '')} D: {options.get('D', '')} Correct answer: {correct_answer} Requirements: 1. All five options must use identical sentence structure and format 2. All options should be consistent in length, tone, and style 3. Make all options follow the same pattern (e.g., "The player is [name]." or "The stadium is located in [city].") 4. DO NOT change the core information in each option - keep the names, numbers, locations, etc. 5. The correct answer (currently option {correct_answer}) must remain factually the same 6. Remove any inconsistencies like extra words or different punctuation patterns Return ONLY a JSON with the standardized options: {{ "A": "First standardized option", "B": "Second standardized option", "C": "Third standardized option", "D": "Fourth standardized option"}}

Figure 7: Prompt strategy of creating classification data.

GPT-4o Prompting Strategy for evaluation
prompt = f""""You will be provided with a question and two answers: a generated answer and a ground truth answer. Your task is to evaluate the factuality of the "generated_answer" against the "ground_truth". Please assign a factuality score from 1 to 10 based on the following criteria: 1. Factuality (core importance): • 10-9: The generated response is fully factually correct and has the same meaning as the ground truth, even if phrased differently. • 8-7: The response is mostly correct but may be missing minor details or contain slightly less important deviations. • 6-5: The response is partially correct but has a noticeable factual error or significant missing information. • 4-3: The response has major factual errors or lacks crucial elements of the ground truth. • 2-1: The response is nonsensical, completely incorrect, or irrelevant. 2. Relevance and Detail: • More detail does not always improve the score; added details should be factually relevant. • If the generated response contains excessive or irrelevant details, lower the score accordingly. 3. Fluency and Language Requirements: • The response must be in English. If it's not in English, reduce the score according to how much this affects comprehension. • If the response contains garbled text, random symbols, or is completely incomprehensible, assign a score of 0. • Poor grammar or awkward phrasing should result in a score reduction proportional to how much it affects understanding. Task Type: {task_type.capitalize()} - Image ID: {image_id} - Question: {question} - Generated Answer: {generated_answer} - Ground Truth: {ground_truth} Please evaluate the factuality of the generated response based on the rubric above, and return a score (1-10) along with a short justification. Return your response in JSON format only: {{ "factuality_score": [score from 1-10 as a number, or 0 if completely incomprehensible], "justification": "[Your brief justification, including comments on factuality, relevance, and fluency]" }}

Figure 8: Prompt strategy of evaluating factuality score through GPT-4o.